

EXERCICE 2.1

Factoriser le polynôme, comme dans l'exemple :

$$\begin{aligned}\mathbf{A}(x) &= (x + 3)^2 - 2 \\ &= (x + 3)^2 - (\sqrt{2})^2 \\ &= (x + 3 + \sqrt{2})(x + 3 - \sqrt{2})\end{aligned}$$

$$\mathbf{B}(x) = (x - 5)^2 - 3$$

$$\mathbf{C}(x) = (x + 5)^2 - 7$$

$$\mathbf{D}(x) = (x - 3)^2 - 16$$

$$\mathbf{E}(x) = (x - 7)^2 - 2$$

$$\mathbf{F}(x) = (2x - 3)^2 - 11$$

$$\mathbf{G}(x) = (3x + 5)^2 - 25$$

$$\mathbf{H}(x) = (5x - 1)^2 - 4$$

EXERCICE 2.2

Ecrire sous forme canonique puis factoriser le polynôme, comme dans l'exemple :

$$\begin{aligned}\mathbf{A}(x) &= x^2 - 6x + 6 \\ &= x^2 - 6x + 9 - 9 + 6 \\ &= (x - 3)^2 - 3 \\ &= (x - 3)^2 - (\sqrt{3})^2 \\ &= (x - 3 + \sqrt{3})(x - 3 - \sqrt{3})\end{aligned}$$

$$\mathbf{B}(x) = x^2 + 8x + 3$$

$$\mathbf{C}(x) = x^2 - 4x - 1$$

$$\mathbf{D}(x) = x^2 - 5x - 1$$

$$\mathbf{E}(x) = x^2 + 3x - 5$$

$$\mathbf{F}(x) = 2x^2 - 12x + 8$$

$$\mathbf{G}(x) = 2x^2 + 7x + 3$$

$$\mathbf{H}(x) = 3x^2 + 15x - 7$$

CORRIGE – NOTRE DAME DE LA MERCI - MONTPELLIER**EXERCICE 2.1**

Factoriser le polynôme, comme dans l'exemple :

$$\begin{aligned} A(x) &= (x+3)^2 - 2 \\ &= (x+3)^2 - (\sqrt{2})^2 \\ &= (x+3+\sqrt{2})(x+3-\sqrt{2}) \end{aligned}$$

$$\begin{aligned} B(x) &= (x-5)^2 - 3 \\ B(x) &= (x-5)^2 - (\sqrt{3})^2 \\ B(x) &= (x-5+\sqrt{3})(x-5-\sqrt{3}) \end{aligned}$$

C(x) = (x+5)² - 7

C(x) = (x+5)² - (\sqrt{7})²

C(x) = (x+5+\sqrt{7})(x+5-\sqrt{7})

D(x) = (x-3)² - 16

D(x) = (x-3)² - 4²

D(x) = (x-3+4)(x-3-4)

D(x) = (x+1)(x-7)

E(x) = (x-7)² - 2

E(x) = (x-7)² - (\sqrt{2})²

E(x) = (x-7+\sqrt{2})(x-7-\sqrt{2})

F(x) = (2x-3)² - 11

F(x) = (2x-3)² - (\sqrt{11})²

F(x) = (2x-3+\sqrt{11})(2x-3-\sqrt{11})

G(x) = (3x+5)² - 25

G(x) = (3x+5)² - 5²

G(x) = (3x+5+5)(3x+5-5)

G(x) = 3x(3x+10)

H(x) = (5x-1)² - 4

H(x) = (5x-1)² - 2²

H(x) = (5x-1+2)(5x-1-2)

H(x) = (5x+1)(5x-3)

EXERCICE 2.2

Ecrire sous forme canonique puis factoriser le polynôme, comme dans l'exemple :

$$\begin{aligned} A(x) &= x^2 + 6x + 5 \\ &= x^2 + \underline{2 \times 3 \times x} + 5 \\ &= (x^2 + 2 \times 3 \times x + 3^2) - 3^2 + 5 \\ &= (x+3)^2 - 9 + 5 \\ &= (x+3)^2 - 4 \\ &= (x+3)^2 - 2^2 \\ &= (x+3+2)(x+3-2) \\ &= (x+5)(x+1) \end{aligned}$$

$$\begin{aligned} B(x) &= x^2 + 8x + 3 \\ B(x) &= x^2 + \underline{2 \times x \times 4} + 3 \\ B(x) &= (x^2 + 2 \times x \times 4 + 4^2) - 4^2 + 3 \\ B(x) &= (x+4)^2 - 16 + 3 \\ B(x) &= (x+4)^2 - 13 \\ B(x) &= (x+4)^2 - (\sqrt{13})^2 \\ B(x) &= (x+4+\sqrt{13})(x+4-\sqrt{13}) \end{aligned}$$

C(x) = x² - 4x - 1

C(x) = x² - 2 × x × 2 - 1

C(x) = (x² - 2 × x × 2 + 2²) - 2² - 1

C(x) = (x-2)² - 4 - 1

C(x) = (x-2)² - 5

C(x) = (x-2)² - (\sqrt{5})²

C(x) = (x-2+\sqrt{5})(x-2-\sqrt{5})

D(x) = x² - 5x - 1

D(x) = x² - 2 × x × \frac{5}{2} - 1

D(x) = (x² - 2 × x × \frac{5}{2} + (\frac{5}{2})²) - (\frac{5}{2})² - 1

D(x) = (x - \frac{5}{2})² - \frac{25}{4} - 1

D(x) = (x - \frac{5}{2})² - \frac{29}{4}

D(x) = (x - \frac{5}{2})² - (\sqrt{\frac{29}{4}})²

D(x) = (x - \frac{5}{2} + \frac{\sqrt{29}}{2})(x - \frac{5}{2} - \frac{\sqrt{29}}{2})

$$E(x) = x^2 + 3x - 5$$

$$E(x) = x^2 + 2 \times x \times \frac{3}{2} - 5$$

$$E(x) = \left(x^2 + 2 \times x \times \frac{3}{2} + \left(\frac{3}{2}\right)^2 \right) - \left(\frac{3}{2}\right)^2 - 5$$

$$E(x) = \left(x + \frac{3}{2} \right)^2 - \frac{9}{4} - 5$$

$$E(x) = \left(x + \frac{3}{2} \right)^2 - \frac{29}{4}$$

$$E(x) = \left(x + \frac{3}{2} \right)^2 - \left(\sqrt{\frac{29}{4}} \right)^2$$

$$E(x) = \left(x + \frac{3}{2} + \frac{\sqrt{29}}{2} \right) \left(x + \frac{3}{2} - \frac{\sqrt{29}}{2} \right)$$

$$F(x) = 2x^2 - 12x + 8$$

$$F(x) = 2(x^2 - 6x + 4)$$

$$F(x) = 2(x^2 - 2 \times x \times 3 + 3^2)$$

$$F(x) = 2 \left[(x^2 - 2 \times x \times 3 + 3^2) - 3^2 + 4 \right]$$

$$F(x) = 2 \left[(x - 3)^2 - 9 + 4 \right]$$

$$F(x) = 2 \left[(x - 3)^2 - 5 \right]$$

$$F(x) = 2 \left[(x - 3)^2 - (\sqrt{5})^2 \right]$$

$$F(x) = 2 \left[(x - 3 + \sqrt{5})(x - 3 - \sqrt{5}) \right]$$

$$G(x) = 2x^2 + 7x + 3$$

$$G(x) = 2 \left(x^2 + \frac{7}{2}x + \frac{3}{2} \right)$$

$$G(x) = 2 \left(x^2 + 2 \times x \times \frac{7}{4} + \left(\frac{7}{4}\right)^2 + \frac{3}{2} \right)$$

$$G(x) = 2 \left[\left(x^2 + 2 \times x \times \frac{7}{4} + \left(\frac{7}{4}\right)^2 \right) - \left(\frac{7}{4}\right)^2 + \frac{3}{2} \right]$$

$$G(x) = 2 \left[\left(x + \frac{7}{4} \right)^2 - \frac{49}{16} + \frac{3}{2} \right]$$

$$G(x) = 2 \left[\left(x + \frac{7}{4} \right)^2 - \frac{49}{16} + \frac{24}{16} \right]$$

$$G(x) = 2 \left[\left(x + \frac{7}{4} \right)^2 - \frac{25}{16} \right]$$

$$G(x) = 2 \left[\left(x + \frac{7}{4} \right)^2 - \left(\frac{5}{4}\right)^2 \right]$$

$$G(x) = 2 \left[\left(x + \frac{7}{4} + \frac{5}{4} \right) \left(x + \frac{7}{4} - \frac{5}{4} \right) \right]$$

$$G(x) = 2 \left[\left(x + \frac{12}{4} \right) \left(x + \frac{2}{4} \right) \right]$$

$$G(x) = 2 \left[(x + 3) \left(x + \frac{1}{2} \right) \right]$$

$$H(x) = 3x^2 + 15x - 7$$

$$H(x) = 3 \left(x^2 + 5x - \frac{7}{3} \right)$$

$$H(x) = 3 \left(x^2 + 2 \times x \times \frac{5}{2} + \left(\frac{5}{2}\right)^2 - \frac{7}{3} \right)$$

$$H(x) = 3 \left[\left(x^2 + 2 \times x \times \frac{5}{2} + \left(\frac{5}{2}\right)^2 \right) - \left(\frac{5}{2}\right)^2 - \frac{7}{3} \right]$$

$$H(x) = 3 \left[\left(x + \frac{5}{2} \right)^2 - \frac{25}{4} - \frac{7}{3} \right]$$

$$H(x) = 3 \left[\left(x + \frac{5}{2} \right)^2 - \frac{75}{12} - \frac{28}{12} \right]$$

$$H(x) = 3 \left[\left(x + \frac{5}{2} \right)^2 - \frac{103}{12} \right]$$

$$H(x) = 3 \left[\left(x + \frac{5}{2} \right)^2 - \left(\sqrt{\frac{103}{12}} \right)^2 \right]$$

$$H(x) = 3 \left[\left(x + \frac{5}{2} + \sqrt{\frac{103}{12}} \right) \left(x + \frac{5}{2} - \sqrt{\frac{103}{12}} \right) \right]$$